


QK607

.C6

v.2





ILLUSTRATIONS
OF
BRITISH FUNGI.

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists Society; the Essex Field Club; and other Societies.


VOL. II.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1881-1883.



Small portions of a large cluster.



AGARICUS (CLITOCYBE.) AGGREGATUS. Schæff.
on sawdust. Coed Coch. July 1882.



AGARICUS (CLITOCYBE) ELIXUS. *Sow*
On the ground. Bagley Wood, Oxford, 1865.



AGARICUS (CLITOCYBE.) FUMOSUS. Fries.
in woods.






AGARICUS (CLITOCYBE.) TUMULOSUS. Ktchhl
 in woods. near Hereford.
 Sept 1871.

opaque.




M.C.C.

AGARICUS (*CLITOCYBE*.) *OPACUS*. *With.*
in woods. rare.



AGARICUS (*CLITOCYBE*.) GIGANTEUS. Sow.
in woods. Colwyn 1880.



AGARICUS (CLITOCYBE.) MAXIMUS. Fries.
in woods. Killarney. Oct. 1881.



AGARICUS (*CLITOCYBE*.) INFUNDIBULIFORMIS. Schæff.
in woods. Aug. & Sept.

strong mealy odour

W.P.

AGARICUS (CLITOCYBE) INCILIS *Fries.*
In woods. Kings Lynn, Nov. 1881.

M.C.C.

AGARICUS (CLITOCYBE) PARILIS *Fries.*
By the side of plantations, Somerset.



AGARICUS (*CLITOCYBE*.) *GEOTROPUS*. Bull
in woods.

M.C.C.



AGARICUS (CLITOCYBE) GEOTROPUS Bull.
 var SUBINVOLUTUS. Smith.
 amongst grass by roadsides.



AGARICUS SOLITARIUS SUB-INVOLUTUS *P. Dsch.*

in woods. Buckinghamshire



AGARICUS (CLITOCYBE) GILVUS. Pers.
in mountain woods.



AGARICUS (CLITOCYBE.) SPLENDENS. Fries.
amongst dead leaves. Neasden Sept. 1881.



M.C.C.

AGARICUS (CLITOCYBE.) FLACCIDUS, Sow.
amongst leaves. Kew 1880.



AGARICUS (CLITOCYBE) FLACCIDUS. Fries.
Amongst leaves. Dinedor 1881.



AGARICUS (CLITOCYBE.) LOBATUS. Sow.
on a bank. Highgate. Jan. 8. 1863.



AGARICUS (CLITOCYBE.) SENILIS. Fries. (variety)
on lawn. Coed Coch 1880.





AGARICUS (LUTOCYBE) CATINUS. Fries.
amongst dead leaves. near Ludlow 1881.

showing tuba

AGARICUS (CLITOCYBE.) TUBA. Fries.
on dead leaves &c Kew Gardens 1881.



M.C.C.

Shining, dry.

AGARICUS (COLLYBIA) ERICETORUM. Bull.
amongst short grass. · Loughton. Nov. 1881.



AGARICUS (CLITOCYBE.) CYATHIFORMIS. Fr.
in woods. near Hereford. October 1881.



R.E.B.

AGARICUS (CLITOCYBE.) EXPALLENS Pers.
in mixed woods. Glamis.



AGARICUS (*CLITOCYBE*.) OBBATUS. *Fries.*
in Fir woods. *Ascot.*

1. The first part of the paper is devoted to a general discussion of the problem of the existence of a solution of the system of equations (1) for arbitrary values of the parameters α and β . It is shown that the system of equations (1) has a solution for arbitrary values of the parameters α and β if and only if the condition

Hygrophanous.



M.C.C.

AGARICUS (CLITOCYBE.) PRUINOSA Fries.
on rotten wood, and on the ground. Kew. Nov. Dec. 1882.



AGARICUS (CLITOCYBE.) BRUMALIS. Fries.
in fir woods. Dinedor 1871. Black Park 1881.



AGARICUS (CLITOCYBE) METACHROUS. *Fetes.*
amongst pine leaves. Black Park 1881.



2812

Agaricus (Clitocybe) ditopus

AGARICUS (CLITOCYBE.) DITOPUS. Fries.
amongst dead leaves. Moccas Park 1881.



M.C.C.

Inodorous

AGARICUS (CLITOCYBE) DIATRETUS Fries.
in pine woods. Coed Coch.



AGARICUS (CLITOCYBE) FRAGRANS. Sow.
Amongst moss. Dinmore. Oct. 1880.



J.M.C.C.

AGARICUS (*CLITOCYBE*) *ANGUSTISSIMUS*. Lasch.
 Amongst leaves. Coed Coch Oct. 1880.



AGARICUS (CLITOCYBE.) OBSOLETUS. Batsch.
amongst grass and leaves. Oct. Nov. 1832.



AGARICUS (CLITOCYBE) ECTYPUS. Fries.

In damp places. Killarney. Dec. 1851.



AGARICUS (CLITOCYBE.) BELLUS. Fries.
in fir woods.



M.C.

AGARICUS (CLITOCYBE.) LACCATUS. Scop.
in woods &c. Common everywhere.

LIBRARY
MUSEUM
HISTORICAL
SOCIETY



Acrid and bitter

AGARICUS (CLITOCYBE.) SADLERI. Berk.
in stove. Botanic Gardens. Edinburgh.



AGARICUS (COLLYBIA.) RADICATUS. *Reth.*
on the ground. July to September.

Pileus and stem velvety.



M.C.C.

AGARICUS (COLLYBIA.) LONGIPES. Bull.
in woods. Leigh Wood, Bristol.



AGARICUS (COLLYBIA) PLATYPHYLLUS. Fries.

On the ground, amongst leaves &c. Kew.



M.C.C.

AGARICUS (COLLYBIA) SEMITALIS Fries.

By waysides after much rain. Oct. 1882.



AGARICUS (COLLYBIA.) FUSIPES. Bull.
on stumps. Highgate.



AGARICUS (COLLYBIA.) MACULATUS. A. & S.
in moist pine woods, &c.



AGARICUS (COLLYBIA.) MACULATUS A. & S. var. IMMACULATUS
on the ground. Black Park, Langley 1879.

Odour strong.

W.G.S.

AGARICUS (COLLYBIA) DISTORTUS *Fries.**on Trunks. Coed Coch. 1871.*



AGARICUS (COLLYBIA) BUTYRACEUS. Bull.
in woods. Common.

gregarious



AGARICUS (COLLYBIA.) XYLOPHILUS. Fries.
about old stumps. Black Park, Langley Sept. 1882.



A.-*AGARICUS (COLLYBIA.) VELUTIPES.* Curt.
on trunks. Common.

B.-*AGARICUS (COLLYBIA.) LAXIPES.* Fries.

2000
2001
2002
2003



W.G.S.

AGARICUS (COLLYBIA.) MIMICUS. Smith.
On shavings. (Somerset.) Nov. 1872.

1875
1876
1877
1878
1879

M. J. B.

AGARICUS (COLLYBIA.) VERTIRUGIS. Cooke.
on Fern roots.

H.G.B.

M. J. B.

AGARICUS (COLLYBIA.) STIPITARIUS. Fries.
on stems and roots of grass.

X 3

1894
1895
1896
1897



AGARICUS (*COLLYBIA*) *HARIOLORUM*. Bull.
amongst dead leaves.



AGARICUS (*COLLYBIA*) *CONFLUENS*. Pers.
in woods.

M. J. B.

odour unpleasant

W.G.S.

AGARICUS (COLLYBIA) INGRATUS Schum.*In pine woods. 'Largo, Fifeshire, 1872.*



AGARICUS (COLLYBIA.) CONIGENUS. Pers.
on fir cones. October.

A.



H.G.B.

AGARICUS (COLLYBIA.) TUBEROSUS. Bull.
on decayed Russula.

B.



H.G.B.

AGARICUS (COLLYBIA.) CIRRHATUS. Schum.
on the ground. Belmont, Nov. 1872.



R.E.B.

AGARICUS (COLLYBIA) COLLINUS. Scop.
on grassy slopes.

CHART
NO. 100
PUBLISHED
1910



A.—*AGARICUS (COLLYBIA) VENTRICOSUS*. Bull.
in woods. Coed Coch 1878.

B.—*AGARICUS (COLLYBIA) STENSSONI*. B. & Br.
on the ground. Glamis. Aug. 1874.



slightly viscid.

AGARICUS (COLLYBIA) PSATHYROIDES. Cke.
on the ground. Epping Forest, Oct., 1880.





AGARICUS (COLLYBIA.) XANTHOPUS. Fries.
amongst dead leaves. Oct. 1882.

THE
LIBRARY OF THE
MUSEUM OF
ART AND HISTORY
OF THE CITY OF
NEW YORK



AGARICUS (COLLYBIA.) NITELLINUS. Fries.
 variety—with crowded gills.
 Beside the road in a wood. Neatishead. 1881.



AGARICUS (COLLYBIA.) SUCCINEUS. *Fræs.*
in grassy places. *Dinedor.* Dec. 1872.



AGARICUS (COLLYBIA.) NUMMULARIUS. *Lam.*
amongst leaves, twigs &c.





AGARICUS (COLLYBIA) ESCULENTUS. *Wulf.*
in pine woods. *Spring.*



M. J. B.

AGARICUS (COLLYBIA) TENACELLUS *Pers.*
B — variety STOLONIFER.
in woods. *Autumn.*



R.E.B.

AGARICUS (COLLYBIA) ACERVATUS Fries.
on stumps. Sept. 1882.



M.C.C.

AGARICUS (COLLYBIA.) DRYOPHILUS Fr.
in grassy places. Kew Gardens 1882.

Hygrophanus

M.C.C.

AGARICUS (COLLYRIA.) AQUOSUS. Bull.
amongst moss. Pleasure grounds, Kew.



AGARICUS (COLLYBIA) EXSCULPTUS Fries.

on trunks and on the ground. June.



M.C.C.

AGARICUS (COLLYBIA) MACILENTUS Fries

in pine woods. Corstorphane. N.B.

M. J. B.

AGARICUS (COLLYBIA.) CLAVUS. Linn.
on twigs, leaves &c.



AGARICUS (COLLYBIA.) OCELLATUS. Fries.
in grassy places.



M. C. C.

AGARICUS (COLLYBIA.) MUSCIGENUS. Schum.
on ground, amongst moss and grass. Kew. Aug. 1881.



M.C.C.

strong scented.

AGARICUS (COLLYBIA.) RANCIDUS. Fries.
in woods, about trunks; near Hereford.



strong scented.

AGARICUS (COLLYBIA.) CORACINUS. Fries.
in grassy places, in woods.



odour faint.

AGARICUS (COLLYBIA.) INOLENS. Fries.
in pine woods.



H.G.B.

inodorous.

AGARICUS (COLLYBIA.) PLEXIPES. Fries.
in beech woods. Dinnmore. Sept. 1874.



AGARICUS (COLLYBIA.) ATRATUS. Fries.
on charred ground. Dinmore. Nov. 1870.



M.C.C.

rancid.

AGARICUS (COLLYBIA.) AMBUSTUS. Fries.
on scorched places. Kew gardens. 1881.



M.C.C.

AGARICUS (COLLYBIA) LACERATUS Lasch
on the ground. Epping Forest, 1880

THE
PREFACE
TO THE
SECOND EDITION



AGARICUS (COLLYBIA) PROTRACTUS. *Fries.*
amongst dead leaves. Kew Gardens.



M.C.C

AGARICUS (COLLYBIA) TESQUORUM. *Fries.*
on sunny bank. Ascot.



AGARICUS (COLLYBIA) TYLICOLOR Fries.
in shady woods, amongst grass



M.C.C

AGARICUS (COLLYBIA) CLATHRIS Fries.
in shady woods, amongst grass



1.—*AGARICUS (MYCENA.) PELIANTHINUS*. Fries,
in beech and oak woods.

2.—*AGARICUS (MYCENA.) BALANINUS*. Berk
amongst beech mast. Hereford 1876.



AGARICUS (*MYCENA*) ELEGANS Pers.

in fir woods.



AGARICUS (*MYCENA*) RUBRO-MARGINATUS Fries.

on rotten twigs &c.

A



AGARICUS (MYCENA.) STROBILINUS. Fries.

B



var COCCINEUS. Sow.

C



H.G.B.

AGARICUS (MYCENA.) ROSELLUS. Fries.
in pine woods. Dinedor 1872.



AGARICUS (MYCENA.) PURUS. Pers.
Common in woods.



AGARICUS (MYCENA.) PSEUDOPURUS. Cooke.
amongst grass in woods. Coed Coch 1880.



M.C.C.

AGARICUS (MYCENA.) ZEPHIRUS. Fries.
amongst pine leaves.

100
100
100
100



AGARICUS (*MYCENA*.) *ADONIS* Bull.
amongst grass and moss.



M.C.C.

AGARICUS (*MYCENA*.) *LINEATUS* Bull.
amongst dead leaves &c.

W. H. R. 1000
1000
1000
1000
1000



M. J. B.

AGARICUS (MYCENA.) LUTEO-ALBUS, Bolt.
amongst mosses.



Lamellae distant.

H. G. B.

AGARICUS (MYCENA.) FLAVO-ALBUS, Fr.
under Scotch firs.



Lamellae crowded.

M. J. B.

AGARICUS (MYCENA.) LACTEUS, Pers.
in fir woods.

111



AGARICUS (MYCENA.) PROLIFERUS Fries.
on rotten wood, Scotland.





AGARICUS (MYCENA.) EXCISUS. *Lasch.*
on trunks or on the ground.



AGARICUS (MYCENA.) PSAMMICOLA B. & Br.
sandy banks amongst moss.



AGARICUS (MYCENA.) RUGOSUS Fries
on trunks & stumps

pileus viscid



AGARICUS (MYCENA.) SUDORUS. *Fries.*
on old stumps. Haywood Forest. Oct. 1882.

THE
LIBRARY OF THE
MUSEUM OF
ART AND HISTORY
OF THE CITY OF
NEW YORK



AGARICUS (MYCENA) GALERICULATUS. Fries. B, Terrestrial Variety
on stumps and on the ground. Common.



AGARICUS GALERICULATUS Fr.

var. CALOPUS, Fr.

on stumps, Hayward Forest. Oct. 1882.



AGARICUS (MYCENA) POLYGRAMMUS. Bull.

on stumps. Epping.



AGARICUS (MYCENA.) PARABOLICUS. Fries.
on stumps. Edinburgh.



M.C.C.

viscid

AGARICUS (MYCENA.) TINTINABULUM Fries.
on Beech trunks & stumps. Epping Forest.


Strong scented

AGARICUS (MYCENA) DISSILIENS Fries.
on the ground and on stumps. Kew Gardens.




M.C.C.

AGARICUS (MYCENA) PLICOSUS Fries
on the ground. Killin N.B.




M. J. B.



smell scented

AGARICUS (MYCENA) PAUPERCULUS. Berk.
on fallen branches.



M. C. C.

R. E. B.

AGARICUS (MYCENA) ATRO-CYANEUS. Batsch.
amongst fir leaves. Glamis N.B.



M.C.C.

AGARICUS (MYCENA.) PULLATUS. Berk & Cooke.
on the ground. Chingford. Oct. 1882.

odour nitrous



AGARICUS (MYCENA.) LEPTOCEPHALUS Pers.
on trunks.



strong scented.

AGARICUS (MYCENA.) ALCALINUS Fries.
on stumps. Hereford 1863.

odour strong

M.C.C.

M. J. B.

AGARICUS (MYCENA.) ALCALINUS. Fries.
on stumps. Hayward Forest, and King's Cliffe.



AGARICUS (*MYCENA*) AMMONIACUS. Fries.
on the ground.



AGARICUS (*MYCENA*) METATUS. Fries.
on the ground. Chingford, Essex.



M.C.C.

AGARICUS (MYCENA.) ÆTITES Fries.
amongst moss and grass.



AGARICUS (MYCENA.) STANNEUS Fries.
amongst grass.



AGARICUS (*MYCENA*) VITREUS. *Fries.*
in moist fir woods.



H.G.B.

AGARICUS (*MYCENA*) TENUIS. *Bolton.*
in moist shady places, Sept. 1863.





AGARICUS (*MYCENA*) *FILOPES*. *Bull.*
amongst dead leaves.



M. J. B.

AGARICUS (*MYCENA*) *IRIS*. *Berk.*
on pine chips.



M.C.C.

AGARICUS (MYCENA) AMICTUS Fries.
Amongst moss &c. Chingford Essex.



AGARICUS (*MYCENA*.) *DEBILIS* Fr.
amongst moss.

AGARICUS (*MYCENA*.) *VITILIS* Fr.
amongst leaves.



AGARICUS (*MYCENA*.) *COLLARIATUS* Fries.
amongst grass in woods.



AGARICUS (MYCENA.) SPEIREUS Fries.
on mossy trunks. Glamis.



AGARICUS (MYCENA.) TENELLUS Fries.
on old trunks. Caen Wood.



AGARICUS (MYCENA.) ACICULA Schaeff
amongst dead leaves.



G.M.

AGARICUS (MYCENA.) HAEMATOPUS. Pers.
on Fir stumps. Scarboro'

B



M.C.C.

AGARICUS (MYCENA.) CRUENTUS Fræs.
in fir woods, on cones &c.



1.-AGARICUS (MYCENA,) SANGUINOLENTUS. Fr.
amongst dead leaves.

2 -AGARICUS (MYCENA) CROCATUS Schrad.
amongst dead leaves.

milk yellow

milk white

after Sowerby

A

M.J.B.

AGARICUS (MYCENA) CHELIDONIUS Fr.
on beech trunks.

M.C.C.

AGARICUS (MYCENA) GALOPUS Fr.
on mossy ground. Nurella. Sept. 1881.

stem viscid



AGARICUS (*MYCENA*.) EPIPTERYGIUS Scop.
amongst grass &c. Epping.

stem viscid



AGARICUS (*MYCENA*.) CLAVICULARIS Fries.
amongst grass. Chingford. Oct. 1882.



AGARICUS (*MYCENA*) *PELLICULOSUS* Fries.
on the ground in heathy places.



H.G.B.

AGARICUS (*MYCENA*) *VULGARIS* Fries.
Dinedor. Sept. 1875.

stem viscid



AGARICUS (MYCENA) CITRINELLUS Pers.
in pine woods.




AGARICUS (MYCENA) PLICATO-GRENATUS Fries.
amongst moss in larch woods.



stem glutinous

M. J. B.

AGARICUS (MYCENA) RORIDUS Fries.
in birch, after copious rains



AGARICUS (MYCENA) STYLOBATES Pers.
on chips &c.



M.F.B.

AGARICUS (MYCENA) TENERRIMUS Berk.
on pine cones, chips &c.



M.C.C

AGARICUS (MYCENA) ELECTICUS Berk.
on sticks. near Bristol.



W.P.

AGARICUS (MYCENA) SACCHARIFERUS B. & Br.
on bramble stems &c.



AGARICUS (MYCENA) DISCOPUS Lev.
on twigs, &c.



M.C.C.

AGARICUS (MYCENA) PTERIGENUS Fries.
on petioles, stems &c.



M.F.B.

AGARICUS (MYCENA.) CORTICOLA. Schum.
on bark of trees. Autumn.



H.G.B.


AGARICUS (MYCENA.) HIEMALIS. Osb.
on bark, twigs, &c. Dinedor. Dec. 1871.

1.



AGARICUS (MYCENA.) SETOSUS Sow.
on beech leaves.

2.



AGARICUS (MYCENA.) CAPILLARIS Schum.
on dead leaves.

3.



AGARICUS (MYCENA.) JUNCICOLA Fries.
on Twigs &c.

Hygrophanous.*M.C.C.*

AGARICUS (OMPHALIA) HYDROGRAMMUS. Fries.
amongst dead leaves, Pleasure grounds, Kew.



M.C.C.

AGARICUS (OMPHALIA) MAURUS. *Fries.*
on lawns and in moist places. Coed Coch.



W.P.

AGARICUS (OMPHALIA) OFFUCIATUS *Fries.*
Under besch, &c. Coed Coch.



H.G.B.

AGARICUS (OMPHALIA.) POSTII. Fries.
on charcoal beds. Downton. Sept. 1874.



H.G.B. & M.J.B.

AGARICUS (OMPHALIA.) PYXIDATUS. Bull.
Merryhull common. Nov. 1871.

THE
LIBRARY OF THE
MUSEUM OF
ART AND HISTORY
OF THE
CITY OF BOSTON



W.G.S.

AGARICUS (OMPHALIA) LEUCOPHYLLUS Fries.
in moist woods.



R.E.B.

AGARICUS (OMPHALIA) STRIÆPILEUS Fries.
in grassy places.



G.M.

AGARICUS (OMPHALIA) TELMATIÆUS Berk & Cooke.
 (=Ag. affricatus. Berk) amongst Sphagnum. Scarborough

M.J.B.



AGARICUS (OMPHALIA) SPHAGNICOLA Berk.
amongst Sphagnum.



M.C.C

AGARICUS (OMPHALIA) PHILONOTIS Lasch.

In swampy places in fir woods.



AGARICUS (*OMPHALIA*.) *ONISCUS*. *Fries.*
Ascot.



AGARICUS (*OMPHALIA*.) *CÆSPITOSUS*. *Bolton.*
on sloping banks. Kings Lynn. Oct. 1882.



AGARICUS (OMPHALIA) DEMISSUS Fries.
margin of banks. Wyctiffe woods. 1882.



AGARICUS (OMPHALIA) HEPATICUS Batsch.
by the side of paths in woods



M.C.C.

AGARICUS (OMPHALIA) MURALIS Sow.
on sandy banks, and walls.



M.C.C

PALLIDUS



W.P.

VIRIDIS



M.C.C.

FLAVUS

AGARICUS (UMPHALIA) UMBELLIFERUS. *Fries.*

A



AGARICUS (OMPHALIA) BUCCINALIS. Sow.
on twigs, stems, &c.

B



AGARICUS (OMPHALIA) RETOSTUS. Fries.
amongst dead leaves.

C



M.C.C.

very faint

AGARICUS (OMPHALIA) ABHORRENS. B. & Br.
under Yew trees. Bristol. No. 1882



M.C.C.

AGARICUS (OMPHALIA) PSEUDO-ANDROSACEUS Bull.
amongst moss &c. Watford. Nov. 1882.



M.C.C.

AGARICUS (OMPHALIA) GRISEO-PALLIDUS. Fr.
on the ground King's Lynn.



H.G.B.

AGARICUS (OMPHALIA) STELLATUS. Sow.
near Hereford. Nov 1872.



AGARICUS (OMPHALIA) CAMPANELLA Batsch.
in fir woods. Ascot.



H.G.B.



AGARICUS (OMPHALIA) CAMPANELLA var. BADIPUS Fr.
on the ground near Hereford



M.C.C.

AGARICUS (OMPHALIA) PICTUS Fr.
on chips, Oc. in old carpet. Beets.

1871

1872

1873

1874



AGARICUS (OMPHALIA) CAMPTOPHYLLUS Berk.
on chips.



AGARICUS (OMPHALIA) GRISEUS Fries.
amongst dead leaves &c. Epping 1882.



AGARICUS (OMPHALIA) UMBRATILIS Fres

Cord Coch.





var SWARTZII

AGARICUS (OMPHALIA) FIBULA. Bull.

amongst grass, in meadows, &c.



Pileus mealy.



X 3

W. G. S.

AGARICUS (OMPHALIA) DIRECTUS B. & Br.
on dead leaves.



X 2

M. J. B.

AGARICUS (OMPHALIA) BELLUS J. & S.
on culture of Kied.



AGARICUS (OMPHALIA) GRACILLIMUS Weinm.
on herbaceous stems



AGARICUS (OMPHALIA) BULLULA Brig.
on twigs. Coed Coch.



M. J. B.

AGARICUS (OMPHALIA) INTEGRELUS Pers.
on grass, twigs, rotten wood &c.





M.C.C.

AGARICUS (PLEUROTUS) CORTICATUS *Fries.*
on old Trunks. Epping Forest.



AGARICUS (PLEUROTUS.) DRYINUS. Pers.
on oak trunks.

THE
LIBRARY OF THE
MUSEUM OF
COMPARATIVE ZOOLOGY
AT HARVARD UNIVERSITY



M.C.C.

AGARICUS (PLEUROTUS) SPONGIOSUS *Fries.*
on stumps. *Loughton, Esser. Nov. 1879.*



H.G.B.

M.C.C.

edible

AGARICUS (PLEUROTUS.) ULMARIUS Fries.
on elm trunks.

CONTENTS

PREFACE

CHAPTER I

CHAPTER II

CHAPTER III

CHAPTER IV

CHAPTER V

CHAPTER VI

CHAPTER VII

CHAPTER VIII

CHAPTER IX

CHAPTER X

CHAPTER XI

CHAPTER XII

CHAPTER XIII

CHAPTER XIV

CHAPTER XV

CHAPTER XVI

CHAPTER XVII

CHAPTER XVIII

CHAPTER XIX

CHAPTER XX

CHAPTER XXI

CHAPTER XXII

CHAPTER XXIII

CHAPTER XXIV

CHAPTER XXV

CHAPTER XXVI

CHAPTER XXVII

CHAPTER XXVIII

CHAPTER XXIX

CHAPTER XXX



M.C.C.

J. D. C. M. C.

AGARICUS (PLEUROTUS) TESSULATUS Bull.

on trunks. St. James' Park



AGARICUS (PLEUROTUS) SUBPALMATUS Fries.
on Oak trunk. Morehampton 1875.



W.G.S.

AGARICUS (PLEUROTUS) CRASPEDIUS Fries.
on rotten wood. Eastbourne 1852

1871

1872

1873



1.-*AGARICUS (PLEUROTUS.) FIMBRIATUS*. Bolton.
on trunks. East Bergholt. Jan. 1952

2.-*AGARICUS (PLEUROTUS.) RUTHÆ*. B. & Br
on sawdust. Coed Coch 1870.

A



M.C.C.

AGARICUS (*PLEUROTUS*) LIGNATILIS Fries.
on hollow stumps, Kew Gardens.

B



M.C.C.

AGARICUS (*PLEUROTUS*) CIRCINATUS Fries.
on rotting Birch stump.

1000
1000
1000
1000



R.E.B.

AGARICUS (PLEUROTUS,) PANTOLEUCUS. Fries.
blown out of a tree. Ched Coch 1881.

U. 1000.000
1000.000
1000.000
1000.000



151



W.P.

AGARICUS (PLEUROTUS) PANTOLEUCUS Fries.
on willow.



M.C.C

AGARICUS (PLEUROTUS) MUTILUS Fries.
on grassy ground Penzance.

1. *Introduction*



AGARICUS (PLEUROTUS.) OSTREATUS. *Fries.*
on logs. *Kew Gardens, July 1882.*

THE
NEW YORK
PUBLIC
LIBRARY
ASTOR LENOX
TILDEN FOUNDATION
1899



AGARICUS (PLEUROTUS.) OSTREATUS. *Fries.*
 var. EUOSMUS. *Berk.*
 on logs. *Queen's Cottage, Kow.*



AGARICUS (PLEUROTUS.) REVOLUTUS Kickx.
on trunks. Penzance.



AGARICUS (PLEUROTUS.) SALIGNUS. Pers.
on willow trunks.

LIBRARY
NEW YORK
BOTANICAL
GARDEN




W.G.S.

AGARICUS (PLEUROTUS) ACERINUS *Fries.*
on Stump. Walthamstow.



AGARICUS (*PLEUROTUS*) PETALOIDES Bull.
on stumps and on the ground



AGARICUS (*PLEUROTUS*) SEROTINUS Schö
on trunks. No. 1372

James
James
James
James

W.P.

H.G.B.

M.F.B.

M.C.C.



AGARICUS (PLEUROTUS) MITIS Pers.
on trunks &c. B. variety of the same



W.G.S



J.S

AGARICUS (PLEUROTUS) GADINOIDE S. Smitt.

on tree bark stems.



AGARICUS (PLEUROTUS) LIMPIDUS Frax.

on old ash trunk. Dactylon.



M.C.C.

AGARICUS (PLEUROTUS) RENIFORMIS Frax.

Botany Garden

J. M. Smith 1888

111



W.P.

AGARICUS (PLEUROTUS) LAURO-CERASI B. & Br.
on stems of cherry laurel. Coed. Cech.



H.G.B.

AGARICUS (PLEUROTUS) TREMULUS Schff.
Rotherwas wood. 1873.



H.G.B.

AGARICUS (PLEUROTUS) ACERINUS Fr.
on the ground. Asmbury wood. 1874.

1880
1881
1882
1883



A

AGARICUS (PLEUROTUS) PORRIGENS Frés.
in Fir woods.



B

M. J. B.

AGARICUS (PLEUROTUS) SEPTICUS Frés.
on twigs, chips, and branches.



M.C.C.

AGARICUS (PLEUROTUS) MASTICATUS Fries.
on old Beech trunk, Epping Forest, 1880.



W G S.

AGARICUS (PLEUROTUS) ATRO-CÆRULEUS Fries.
on old trunks, near Teignmouth.

1890-1891
1891-1892
1892-1893
1893-1894



M. J. B.

AGARICUS (PLEUROTUS) LEIGHTONI Berk
on wooden rails near Shrewsbury.



M. C. C.

AGARICUS (PLEUROTUS) AGARDHII (Fr.)
on rotting wood.

THE
LIBRARY OF THE
MUSEUM OF MODERN ART
1000 5th Ave. New York 17, N.Y.



AGARICUS (PLEUROTUS) FLUXILIS Frms.
on sandust. Glamis.




AGARICUS (PLEUROTUS.) CYPHELLÆFORMIS. B. & Br.
on herbaceous stems. Dunmore.



M. J. B.

AGARICUS (PLEUROTUS.) APPLICATUS Frms.
on rotten trunks.



AGARICUS (PLEUROTUS.) HOBSONI. Berk.—on Larch.



AGARICUS (PLEUROTUS.) STRIATULUS Pers.—on trunks.



AGARICUS (PLEUROTUS.) HYPNOPHILUS. Berk.—on moss, grass &c.



AGARICUS (PLEUROTUS.) CHIONEUS Pers.—on leaves &c.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

New York Botanical Garden Library
OK607 .C6 v.2
Cooke, M. C./Illustrations of British fu



3 5185 00116 1007

